

Sleeve Wrap SWGP

EProFlex Sleevewrap SWGP is a flexible PET wraparound protective sleeve. The woven PET construction provides flexibility, spring back and high resistance to abrasion. It is designed to protect wiring, cables, pipes, hoses and foam insulation from mechanical degradation arising from exposure to touch conditions in vibrating installations. SWGP is installed by opening up the sleeve, feeding over the application and releasing. Once fitted, it is fixed at one end, twisted, creating a firm, snug fit and finally fixed at the other end. Breakouts in harnesses are simple and fast to construct. Some installations require no fixing.



Sizes




- 5mm Black x 50m Coil
- 9mm Black x 50m Coil
- 13mm Black x 50m Coil
- 18mm Black x 50m Coil
- 25mm Black x 25m Coil
- 29mm Black x 25m Coil
- 35mm Black x 25m Coil
- 50mm Black x 10m Coil
- 75mm Black x 10m Coil

Features

- Flexible
- Wraparound – Side Entry For Breakouts
- Self Closing
- Abrasion Resistant
- Range 2 - 80mm
- Operation Temperature -50°C to 150°C

Technical Data

Specific Gravity	ISO R1183	1.38 g/cm ³
Thickness	BS EN 5084	0.54mm
Weight	GSM	270
Tensile Stress	N/sq.mm	650
Elongation	%	20
Warp Yarn	Dtex	1100
Weft Yarn	mm	0.25 round
Tensile Warp	BS EN 13934	5000 N/50 mm
Tensile Weft	BS EN 13934	1600 N/50mm
Sett Warp Ends/100mm	BS EN 1049	165
Sett Weft Picks/100mm	BS EN 1049	108
Flammability	FMVSS302	<100mm/min
Operating Temperature Range		-50°C to +150° C



All information shown, including illustrations, is believed to be reliable. Users, however, should independently evaluate the suitability of the product for their application. Express makes no warranties as to the accuracy or completeness of the information and disclaims any liability regarding its use. In no case will Express be liable for any incidental, indirect or resale, use or misuse of the product. Express specifications are subject to change without notice. In addition Express reserves the right to consequential damages arising from the sale, make changes in materials and processing, without notification to the Buyer, which do affect compliance with any applicable specification.